📘 Module 1 – Easy Language Answers

---

1. Explain the necessity of maintenance activities in structural operations.

Answer:

- Structures get damaged over time due to weather, load, and aging.
- Maintenance keeps them safe and strong.
- It prevents accidents and reduces repair costs.
- Good maintenance increases the lifespan of the building.

---

2. Elaborate the repair aspects in concrete structures.

Answer:
Repair involves:

- **Finding the problem:** Like cracks or corrosion.
- **Preparing the surface:** Cleaning and removing loose parts.
- **Applying repair materials:** New concrete, mortar, or chemicals.
- **Curing:** Letting it set properly.
- **Finishing:** Restoring the surface and appearance.

---

3. What is the significance of corrosion?

Answer:

- Corrosion weakens steel inside concrete.
- It causes cracking and spalling of concrete cover.
- Reduces strength and safety.
- Increases maintenance costs if ignored.

---

4. Explain corrosion of steel.

Answer:

- Steel corrodes when it reacts with oxygen and moisture.
- It forms rust which expands.
- This expansion cracks the surrounding concrete.
- The steel loses its strength over time.

---

5. Explain embedded metal corrosion.

Answer:

- Metals inside concrete, like rebars, corrode due to:
    - Water penetration.
    - Carbonation lowering pH.
    - Chloride attack.
- Corrosion reduces bond between steel and concrete.

---

6. Explain cracking phenomena in concrete structures.

Answer:

- **Plastic shrinkage:** Fresh concrete dries too fast.
- **Thermal cracking:** Temperature changes.
- **Drying shrinkage:** Concrete loses moisture over time.
- **Structural cracks:** Overloading or settlement.
- **Corrosion cracks:** Rust expands inside.

---

7. Corrosion-induced cracking, delamination, and spalling

Answer:

- **Corrosion-induced cracking:** Rust pushes concrete outwards, forming cracks.
- **Delamination:** Layers separate inside concrete.
- **Spalling:** Pieces of concrete fall off the surface.

---

8. Explain carbonation-induced corrosion.

Answer:

- Carbon dioxide from air enters concrete.
- It reacts with calcium hydroxide, reducing pH.
- Low pH removes protection around steel.
- Steel starts corroding.

---

9. Elaborate corrosion mechanism.

Answer:

- Oxygen and moisture reach steel.
- An electrochemical reaction starts.
- Steel turns to rust (iron oxide).
- Rust volume increases, cracking concrete.

---

10. Different types of cracks in buildings

Answer:

- **Structural cracks:** Due to overloading or movement.
- **Shrinkage cracks:** Loss of moisture.
- **Thermal cracks:** Temperature changes.
- **Settlement cracks:** Ground movement.
- **Corrosion cracks:** Rust expansion.

---

11. Types of rebars

Answer:

- **Mild Steel Bars:** Smooth surface.
- **Deformed Bars:** Ribs for better grip.
- **Epoxy-Coated Bars:** Protected against corrosion.
- **Stainless Steel Bars:** High corrosion resistance.

---

12. Explain FRP rebars

Answer:

- **FRP = Fibre Reinforced Polymer.**
- Made of glass, carbon, or aramid fibres in resin.
- **Benefits:** No corrosion, lightweight.
- **Use:** Bridges, marine structures.

---

13. Corrosion of prestressed concrete

Answer:

- Prestressed concrete has high-strength steel tendons.
- If moisture or chloride enters:
    - Corrosion weakens tendons.
    - Reduces prestress force.
    - Causes cracks and failure risk.

📘 Module 2 – Easy Language Answers

---

1. Explain the concept of Supplementary Cementitious Materials (SCMs).

Answer:

- SCMs are materials mixed with cement to improve concrete.

- **Examples:** Fly ash, slag, silica fume.
- **Benefits:**
    - Increase strength.
    - Make concrete more durable.
    - Reduce heat of hydration.
    - Help resist chemical attack.

---

2. Explain durability aspects of concrete.

Answer:

- Durability means concrete can last long without damage.
- **Factors affecting durability:**
    - Water-cement ratio (less is better).
    - Proper curing.
    - Good quality materials.
    - Protection from chemicals.
- Durable concrete resists cracks, corrosion, and weather.

---

3. Use of chemical admixtures in concrete.

Answer:

- **Chemical admixtures** are chemicals added to fresh concrete.
- **Types and uses:**

- Plasticizers: Make concrete flow easily.
- Retarders: Slow down setting time.
- Accelerators: Speed up hardening.
- Air-entraining agents: Make tiny air bubbles to resist freeze-thaw.
- Corrosion inhibitors: Protect steel inside concrete.

---

4. Deterioration mechanism of concrete systems.

Answer:

- **Deterioration = Getting damaged over time.**
- **Reasons:**
  - Chemical attack (sulphates, acids).
  - Corrosion of steel.
  - Freeze-thaw cycles.
  - Overloading.
  - Poor construction.
- Damage leads to cracks, spalling, and loss of strength.

---

5. Sources of sulphate in concrete.

Answer:

- **External sources:**
  - Soil with sulphate salts.

    - Groundwater.
- **Internal sources:**
    - Contaminated sand or aggregates.
    - Mixing water.
- Sulphate reacts with cement and damages concrete.

---

6. Mechanism of sulphate attack.

Answer:

- Sulphate enters concrete pores.
- Reacts with calcium hydroxide and aluminates.
- Forms **ettringite**, which expands.
- Expansion creates internal stress and cracks.

---

7. Prevention of sulphate attack.

Answer:

- Use sulphate-resistant cement.
- Lower water-cement ratio.
- Use SCMs (like fly ash).
- Proper curing to make dense concrete.
- Use protective coatings or membranes.

---

8. Deterioration of concrete due to acids.

Answer:

- Acids react with cement paste.
- Break down the binding material.
- Concrete surface softens and erodes.
- Structure loses strength.

---

9. How to prevent acid attack?

Answer:

- Use acid-resistant coatings.
- Use dense, low-permeability concrete.
- Use suitable admixtures.
- Avoid exposure by proper drainage.
- Regular inspection and maintenance.

---

10. Shrinkage in concrete structures.

Answer:

- Shrinkage means concrete volume reduces as it dries.
- **Types:**
    - Plastic shrinkage: Happens soon after casting.
    - Drying shrinkage: Long-term moisture loss.

- **Effects:**
    - Cracks appear.
    - Reduces durability.
- **Prevention:**
    - Proper curing.
    - Control joints.
    - Low water content.

---

11. Deterioration due to ASR reaction.

Answer:

- **ASR = Alkali Silica Reaction.**
- Alkalis in cement react with reactive silica in aggregates.
- Forms gel that absorbs water and swells.
- Swelling creates cracks and damage.

📘 Module 3 – Easy Language Answers

---

1. Service and Exposure Conditions of Concrete

Answer:

- **Service conditions:** How the structure is used (e.g., load, vibration).
- **Exposure conditions:** Environment around the concrete.
    - Dry or wet?
    - Freezing and thawing?
    - Near chemicals or salts?
- Both affect durability and maintenance needs.

---

2. Steps of Condition Assessment of Concrete Structures

Answer:

1. **Collect Data:** Study drawings, past records, and complaints.
2. **Visual Inspection:** Look for cracks, rust stains, spalling.
3. **Non-Destructive Testing:** Use tools like rebound hammer or ultrasonic test.
4. **Sample Testing:** Take cores for lab testing if needed.
5. **Report:** Write condition report and suggest repairs.

---

3. Visual Inspection in Concrete Structures

Answer:

- Walk around and carefully look for:
    - Cracks and their size.
    - Rust stains (sign of corrosion).
    - Spalling or delamination.

    - Water leakage.
    - Deformation or sagging.
- Note and photograph all findings.

---

4. Deciding Whether to Preserve, Repair, or Demolish

Answer:

- **Preserve:** If damage is minor.
- **Repair:** If damage can be fixed economically.
- **Demolish:** If structure is unsafe or too costly to repair.
- Decision depends on:
    - Safety.
    - Cost.
    - Future use.
    - Extent of damage.

---

5. Test Methods for Concrete Evaluation

Answer:

- **Rebound Hammer:** Surface hardness.
- **Ultrasonic Pulse Velocity:** Internal defects.
- **Core Sampling:** Strength and composition.
- **Half-cell Potential:** Corrosion check.

- **Carbonation Depth:** Measure loss of alkalinity.

---

6. Locating Delaminated Concrete

Answer:

- **Sounding:** Tap with hammer—hollow sound = delamination.
- **Chain Dragging:** Drag chain and listen for dull sound.
- **Infrared Thermography:** Detects temperature differences.
- **Ground Penetrating Radar:** Scans internal layers.

---

7. Ultrasonic Pulse Velocity Test

Answer:

- Sends ultrasonic waves through concrete.
- Measures speed—faster speed = denser concrete.
- **Uses:**
    - Check uniformity.
    - Detect cracks or voids.

---

8. Rebound Hammer Test

Answer:

- Spring-loaded hammer hits surface.
- Measures rebound number—higher = harder concrete.

- **Use:**
    - Estimate surface strength.
    - Quick and simple.

---

9. Water Sorptivity Test

Answer:

- Measures how fast concrete absorbs water.
- Sample is partially submerged.
- Weigh over time to see water intake.
- **High sorptivity = more porous concrete.**

---

10. Methods of Strength Evaluation

Answer:

- **Rebound Hammer Test**
- **Ultrasonic Pulse Velocity**
- **Core Testing (Lab crushing)**
- **Pull-out Tests**
- **Penetration Resistance Test**

---

11. Microstructural Assessment of Concrete

Answer:

- Study tiny structures using:
    - Microscope.
    - Scanning Electron Microscope (SEM).
- **Purpose:**
    - Detect cracks, voids.
    - Identify ASR gel.
    - Study cement paste and aggregates.

---

12. Significance of Non-Destructive Testing

Answer:

- No damage to structure.
- Quick results.
- Helps locate defects early.
- Guides repair decisions.
- Cheaper than destructive tests.

---

13. Challenges in Concrete Assessment

Answer:

- Surface hardness may not reflect internal strength.
- Moisture and temperature affect readings.
- Access to all areas can be difficult.

- Interpretation needs expert knowledge.
- Equipment limitations.

📘 Module 4 – Easy Language Answers

---

1. Surface Repair Strategies in Concrete

Answer:

- Remove damaged or loose concrete.
- Clean the surface well.
- Apply bonding agents.
- Fill cracks or voids with repair mortar.
- Finish and cure properly.

---

2. Surface Repair Materials for Concrete

Answer:

- Polymer-modified mortar.
- Epoxy-based mortar.
- Micro-concrete for deeper repairs.
- Cement-based repair mixes.

- Grouts for filling small voids.

---

3. Concrete Surface Repair Types

Answer:

- **Crack repair:** Injection or sealing.
- **Patching:** Replace damaged areas.
- **Overlay:** New layer over old concrete.
- **Reprofiling:** Restoring shape and cover.

---

4. Types of Stresses in Concrete

Answer:

- **Compressive stress:** Due to weight.
- **Tensile stress:** From bending or shrinkage.
- **Shear stress:** From sliding forces.
- **Thermal stress:** Due to temperature changes.

---

5. Surface Repair Performance Requirements

Answer:

- Strong bond with old concrete.
- Same or better strength.
- Resistance to water and chemicals.

- Compatible thermal expansion.
- Good workability and curing.

---

6. Corbel Repair

Answer:

- **Corbel:** Small projection supporting beams.
- **Repair Steps:**
    - Remove damaged concrete.
    - Clean reinforcement.
    - Apply bonding agent.
    - Recast with suitable repair mortar.

---

7. Column Repair Process

Answer:

- Remove loose concrete.
- Clean and treat corroded steel.
- Add new reinforcement if needed.
- Formwork setup.
- Pour repair material (micro-concrete).
- Proper curing.

---

8. Bridge Deck Repair Process

Answer:

- Remove damaged top layer.
- Clean surface and rebars.
- Apply bonding agent.
- Place repair material (overlay or patch).
- Compact and finish surface.
- Cure as per guidelines.

---

9. Selecting Repair Material

Answer:
Consider:

- Compatibility with old concrete.
- Strength requirements.
- Exposure to chemicals or water.
- Workability.
- Cost and availability.

---

10. Load Carrying Capacity of Repair Material

Answer:

- Must handle expected loads without failure.
- Should match or exceed old concrete strength.

- Important for structural parts like beams, columns.

---

11. Service/Exposure Properties of Repair Material

Answer:

- Resist freeze-thaw.
- Resist chemicals and water.
- Handle temperature changes.
- Stay durable over time.

---

12. Constructability of Repair Material

Answer:

- Easy to mix and apply.
- Suitable working time.
- Minimal shrinkage.
- Simple curing process.

---

13. Electro-Chemical Chloride Extraction (ECE)

Answer:

- Removes chlorides causing corrosion.
- **Process:**
    - Place temporary anode on surface.

    - Apply DC current.
    - Chlorides move out of concrete.
- Reduces corrosion risk.

---

14. Material Selection for ECE

Answer:

- Conductive electrolyte (e.g., wet sponge, gel).
- Titanium mesh anode.
- Power source with controlled voltage.

---

15. Electrochemical Re-alkalisation

Answer:

- Restores alkalinity to protect steel.
- **Process:**
    - Apply alkaline electrolyte to surface.
    - Use electric current.
    - Alkaline ions migrate into concrete.
- Re-establishes protective environment.

---

16. Placement and Curing of Repair Materials

Answer:

- **Placement:**
    - Fill repair area carefully.
    - Avoid air pockets.
- **Curing:**
    - Keep moist using wet coverings or curing compounds.
    - Prevent shrinkage cracks.
    - Follow manufacturer’s instructions.

📘 Module 5 – Easy Language Answers

---

1. Difference Between Strengthening and Stabilisation

Answer:

- **Strengthening:** Increases the load-carrying capacity of a structure.
- **Stabilisation:** Stops further damage or movement without necessarily adding strength.

---

2. Necessity of Strengthening and Stabilisation

Answer:

- To handle extra loads (e.g., adding floors).
- To fix damage from earthquakes or corrosion.

- To make old buildings safe.
- To extend lifespan of the structure.

---

3. Types of Upgradations

Answer:

- **Flexural strengthening:** Make beams stronger in bending.
- **Shear strengthening:** Improve resistance to sliding forces.
- **Axial strengthening:** Support columns under compression.
- **Seismic upgrading:** Make buildings earthquake-resistant.

---

4. Factors Affecting Strengthening and Stabilisation

Answer:

- Type and size of damage.
- Existing structure strength.
- Environmental conditions.
- Load requirements.
- Cost and time available.

---

5. Passive and Active Strengthening

Answer:

- **Passive strengthening:** Simply adds more material (e.g., extra concrete jackets).

- **Active strengthening:** Applies forces or tension (e.g., post-tensioning cables).

---

6. Flexural Strengthening Methods

Answer:

- Adding steel plates or FRP laminates to tension side.
- Section enlargement with concrete.
- External post-tensioning cables.
- Near-surface mounted rods.

---

7. Section Enlargement

Answer:

- Increasing size of beams, columns, or slabs by adding new concrete around them.
- New reinforcement is added.
- Improves strength and stiffness.

---

8. Use of FRP Composites in Strengthening

Answer:

- FRP (Fibre Reinforced Polymer) sheets or plates bonded to concrete.
- **Benefits:**
    - Lightweight.
    - No corrosion.

    - High strength.
- Used for beams, slabs, columns.

---

9. Use of Bonded Steel Plates

Answer:

- Steel plates attached to concrete using epoxy adhesives.
- Increases flexural and shear capacity.
- Common in bridges and industrial buildings.

---

10. External Post-Tensioning

Answer:

- Steel cables placed outside the structure.
- Tensioned after fixing.
- Adds compression to counteract tension forces.
- Good for bridges and large spans.

---

11. Span Shortening

Answer:

- Adding supports or walls to reduce length of beams.
- Lowers bending stress.
- Used when strengthening alone isn’t enough.

---

12. Methods of Strengthening Columns

Answer:

- Concrete jacketing.
- Steel jacketing.
- FRP wrapping.
- Adding ties or hoops.
- Post-tensioning.

---

13. Stress Reduction Techniques for Columns

Answer:

- Reducing loads (e.g., removing part of the structure).
- Adding bracing or supports.
- Using external post-tensioning.
- Jacketing to improve confinement.

---

14. Different Failure Modes of Walls

Answer:

- Flexural failure (bending cracks).
- Shear failure (diagonal cracks).
- Crushing under compression.

- Out-of-plane bending failure.

---

15. Methods to Strengthen Concrete Walls

Answer:

- Adding reinforced concrete overlay.
- FRP sheets bonded to surface.
- Steel plates fixed externally.
- Adding new support walls or buttresses.

---

16. Various Joints in Concrete

Answer:

- **Construction joints:** Where work stops and restarts.
- **Expansion joints:** Allow movement from temperature changes.
- **Contraction joints:** Control cracking as concrete shrinks.
- **Isolation joints:** Separate parts of a structure.

---

17. Significance of Injection Grouts for Concrete Repairs

Answer:

- Fills cracks and voids.
- Restores strength and prevents water entry.
- Types: epoxy grouts, cement grouts.

- Used for structural and leak repairs.

---

18. Various Codes, Guidelines, and Standards for Concrete Repairs

Answer:

- IS 456: Code of Practice for Plain and Reinforced Concrete.
- IS 15988: Guidelines for repair and rehabilitation.
- ACI 562: Repair Code (USA).
- EN 1504: European Standards for repair materials and systems.

✅ **Module 5 complete in easy language.**
